

NEW FOR 2014


Lucent Lighting | London | New York

Lucent are pleased to announce the launch of 10 new products to add to the popular ProSpex® range of architectural fixtures.

Lucent®


ProSpex® | Aim

- A new family of adjustable recessed accent lights designed for minimal appearance in the ceiling. The Aim range comes with lockable tilt and rotation that allows hot aiming
- Aim can be specified in knife-edge trimless, trimless and with ceiling trim with 2 choices of aperture, pinhole or slot and slot with snoot
- For Lucent LED 50, Xicato LED modules and CMH MR 16 metal halide lamps



ProSpex® | Plus XL

- A larger size of the popular Plus range with square, pyramidal, round pinhole and round conical fixed and accent downlights
- Matching wallwash downlights in both trimmed and trimless variants. Plus XL features all the same benefits as the Plus, including locking tilt and rotation and is designed specifically to accept the new LED light sources
- For Lucent LED 70, Xicato, GE Infusion LED modules including the narrow spot Punch model and CMH metal halide lamps




ProSpex® | Spot LED Mini

- Track mounted LED spotlight with integral driver, passively cooled with built in heatsink and fitted with a Global 3 circuit track adaptor
- 1300 lumen output 3000K as standard and with a choice of beam spreads 19° / 26° / 41°
- Other colour temperatures available. 2700K/4000K
- 90 + CRI version available
- Matching wallwash fixture with scooped front and wide spread lens and kick reflector
- Positive click ratchet adjustment
- Accessory holder accepts 2 media
- Cross hair baffle accessory
- White and matt black as standard



ProSpex® | Soft 50

- A miniature range of 50mm downlights for Lucent's LED35 module or MR11 LED replacement lamps
- Both round and square models available
- Fixed or adjustable accent options
- Trimless and trimmed installation models
- Die cast aluminium constructed trims
- Available in Perma white or matt black as standard




ProSpex® | Soft Colour

- A range of anodised coloured reflector options for the popular Soft 70 and 90 ranges
- Can be supplied in both accent and fixed options
- Available in various colour finishes including: Polished Silver / Satin Silver / Polished Champagne Gold / Satin Gold / Polished Bronze and colours to order



ProSpex® | Plus Multi

- Twin lamp rectangular version of the popular Plus downlight with pyramidal trim
- Aluminium construction with separate trim kits for trimless and trimmed installation options
- Accent fixtures feature gear driven lock and rotation mechanisms with hot aiming
- Matching wallwash fixture with lamp angle adjustment
- For Lucent LED 50, Xicato LED modules and CMH MR 16 metal halide lamps
- Available in white or black finish as standard
- Increased lamp options up to 6 lamps to special order



ProSpex® | LED50 Ambiance Warmdim

- With dimming capability to match tungsten lighting and with colour adjustment from 3000K down to 2200K when dimmed and with no loss in CRI the Ambiance module is the answer for hospitality installations where a change of mood is required
- No special control wires are necessary and has compatibility with most dimming protocols
- Ambiance is suitable for use in all of the Lucent ProSpex downlights which accept the LED50 module




ProSpex® | LED70

- A new high lumen output member of the Lucent LED module family the LED 70 is designed for use in the ProSpex Plus XL, 140 and 160 downlights and the Gimbal Midi
- 1800 Lumen output and with a choice of beam distributions 18°/22° and 36°
- LED 70 has built in 1-10v driver on board (Dali available) and is simply connected to a 24v power supply saving on expensive dimming drivers. Up to 4 LED70's can be connected to one power supply saving further on installation costs
- The LED 70 benefits from on board thermal protection without the need for separate NTC cables and supply



ProSpex® | Square Edge 60

- Miniature version of the popular Square range with edge baffle to ensure glare free professional look
- For use with Lucent LED35 module or MR11 LED replacement lamps
- Minimal 25mm x 25mm aperture
- Trimless and trimmed installation models
- Removable magnetic front plate for easy adjustment and relamping with the ball catch mechanism
- Standard finishes white and black with Edge baffle matt black



ProSpex® | Pinhole 60

- Miniature version of successful Pinhole range for both trimless and trim installations
- For use with Lucent LED35 module or MR11 LED replacement lamps
- Minimal 26mm aperture.
- Available as fixed and accent versions
- Deep regressed lamp position for minimal glare



Visit us at **light+building** Hall 4.2 Stand D04

Professional Architectural Lighting

www.lucent-lighting.com | London | New York



For LED50 Warmdim and
Manufacturer of the year.

lucent®